

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

DP#8S Product: Product Use: Fertiliser

Restriction of Use: Refer to Section 15

New Zealand Supplier: Hatuma

Address: Maharakeke Road RD1

Waipukurau

Telephone: +64 6 858-8567 Fax Number: +64 6 858-8018

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 26 January 2018

Section 2. **Hazards Identification**

This substance is hazardous according to the HSNO (Minimum Degrees of Hazard) Regulations 2001

EPA Approval No: Fertilisers (subsidiary) - HSR002571

Pictograms



Irritant Corrosive

Signal Word: **DANGER**

| HSNO Classification | Hazard Code | Hazard Statement | GHS Category |
|------------------------|----------------|-----------------------------------|--------------|
| 6.1E(Resp) | H335 | May cause respiratory irritation. | Category 3 |
| 6.3A | H315 | Causes skin irritation. | Category 2 |
| 8.3A | H318 | Causes serious eye damage. | Category 1 |

| Prevention Code | Prevention Statement |
|------------------------|---|
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P261 | Avoid breathing dusts. |
| P264 | Wash hands thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective clothing. |

| Response Code | Response Statement | |
|---------------|---|--|
| P101 | If medical advice is needed, have product container or label at hand. | |

Product Name: DP#8S Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 26 January 2018 Tel: 64 9 475 5240

www.techcomp.co.nz

| P310 | Immediately call a POISON CENTER or doctor/physician. |
|-------------|--|
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell. |
| P362 | Take off contaminated clothing and wash before re-use. |
| P391 | Collect spillage. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P304 + P340 | IF INHALED: Remove to fresh air and keep at rest in a position comfortable |
| | for breathing. |
| P305 + | IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| P351+P338 | contact lenses, if present and easy to do. Continue rinsing. |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |

| Storage Code | Storage Statement |
|--------------|--|
| P405 | Store locked up. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |

| Disposal Code | Disposal Statement | |
|---------------|--|--|
| P501 | Dispose of according to Local Regulations or Authorities | |

Section 3. Composition / Information on Hazardous Ingredients

| Ingredients | Wt% | CAS NUMBER. |
|--|-------|-------------|
| Hatuma Dicalcic | 60-80 | Proprietary |
| Generate Lime | 15-30 | Proprietary |
| Other ingredients that do not contribute hazardous composition | 0-5 | Proprietary |

| Section 4. | First Aid Measures | |
|------------|-------------------------|--|
| Section 41 | i ii st Aid i icasai cs | |

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Take off contaminated clothing and

wash before re-use. If skin irritation occurs: get medical advice/attention.

If Swallowed Rinse mouth. Never give anything to the mouth of an unconscious person.

If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.

Immediately call a POISON CENTER or doctor/physician.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Inhaled: May cause respiratory irritation.

Skin: Causes skin irritation.

Eyes: Causes serious eye damage.

Section 5. Fire Fighting Measures

| Hazard Type | Non Flammable |
|----------------------------------|---|
| Hazards from combustion products | Oxides of carbon, possible toxic fumes may be generated during fire |
| Suitable | Use extinguishing media suitable for surrounding area. |

Product Name: DP#8S Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 26 January 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

| Extinguishing media | |
|---|--|
| Precautions for firefighters and special protective | Wear self-contained breathing apparatus and chemical protective clothing in the event of a fire. |
| clothing | |
| HAZCHEM CODE | None allocated |

Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Remove all sources of ignition.

Use mechanical handling equipment for cleanup. Dispose of according to Section 13.

Do not allow to enter into surface water or drains.

Section 7. Handling and Storage

Precautions for Handling:

- Keep out of reach of children.
- · Read label before use.
- Avoid breathing dusts.
- Wash hands thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Wear protective clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store only in original container.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

Engineering Controls

Ensure adequate ventilation is available.

Personal Protection Equipment

| Eyes | Tightly fitting safety glasses with side shields. Avoid wearing contact lenses. | | |
|-------------|---|--|--|
| Hands | Wear protective gloves eg, Butyl or Neoprene. Wear protective clothing. | | |
| Skin | Full cover clothing covering arms and legs. | | |
| Respiratory | Respiratory Use respiratory protection in areas of poor ventilation. | | |

Product Name: DP#8S Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 26 January 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Section 9 Physical and Chemical Properties

| Appearance | Divided solid, particles of various sizes; slightly mixes with water |
|---------------------------------|--|
| Colour | Grey-beige with yellow or beige particles |
| Odour | Not available |
| Odour Threshold | Not available |
| pH | Not available |
| Boiling Point | Not available |
| Melting Point | Not available |
| Freezing Point | Not available |
| Flash Point | Not available |
| Flammability | Not available |
| Upper and Lower | Not available |
| Explosive Limits | |
| Vapour Pressure | Not available |
| Vapour Density | Not available |
| Relative Density | Not available |
| Water Solubility | Partly Miscible |
| Partition Coefficient: | Not available |
| Auto-ignition | Not available |
| Temperature | |
| Decomposition | Not available |
| Temperature | |
| Kinematic Viscosity | Not available |
| Particle Characteristics | Divided solid, particles of varying sizes |

Section 10. Stability and Reactivity

| Stability of Substance | This product is stable under normal conditions. | |
|--|---|--|
| Conditions to Avoid | Extreme temperatures, moisture | |
| Incompatible Materials | Strong acids, bases, oxidising agents | |
| Hazardous Decomposition Oxides of carbon, possible toxic fumes | | |
| Products | | |

Section 11 **Toxicological Information**

Acute Effects:

| Swallowed | Not applicable. | |
|------------|-----------------------------------|--|
| Dermal | Not applicable. | |
| Inhalation | May cause respiratory irritation. | |
| Eye | Causes serious eye damage. | |
| Skin | Causes skin irritation. | |

Chronic Effects:

| Carcinogenicity | Not applicable. | |
|-----------------|-----------------|--|
| Reproductive | Not applicable. | |
| Toxicity | | |
| Germ Cell | Not applicable. | |
| Mutagenicity | | |
| Aspiration | Not applicable. | |
| STOT/SE | Not applicable. | |
| STOT/RE | Not applicable. | |

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz Product Name: DP#8S

Date of SDS: 26 January 2018

| Persistence and degradability | No data available |
|-------------------------------|-------------------|
| Bioaccumulation | No data available |
| Mobility in Soil | No data available |
| Other adverse effects | No data available |

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions and methods to avoid:

Do not allow to enter into surface water or drains where possible.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

HSNO Classification: 6.1E(Resp), 6.3A, 8.3A

HSNO Controls:

Trigger quantities for this substance:

| | Trigger Quantity |
|-----------------------------|------------------------------------|
| Certified Handlers | Not required |
| Location Certificate | Not required |
| Tracking Trigger Quantities | Not required |
| Signage Trigger Quantities | 1000kg (8.3A) |
| Emergency Response Plan | 10 000kg (8.3A) |
| Secondary Containment | 10 000kg (8.3A) |
| Restriction of Use | Only use for the intended purpose. |

Section 16 Other Information Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

1. HSNO Approved Code of Practice: Preparation of Safety Data Sheets, September 2006.

Disclaimer

Product Name: DP#8S Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 26 January 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, Hatuma, if further information is required.

Issue Date: 26 January 2018 Review Date: 26 January 2023

Product Name: DP#8S Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 26 January 2018 Tel: 64 9 475 5240 www.techcomp.co.nz